

Eosinophilia DD

מאת : איתי רון

שנה ו'

פנימית ב'

Case study

NEUTROPHILIA 35.6 % •

24,000 WBC •

HGB 12.97 •

EO 42.9% •

10.4 ABS EO •

EOSINOPHILIA DD

- 500>EO / microL
- – HELMINTIC INFECTIONS, פרזיטים
- CHURG – STRAUSS SYN
- (PENICILINE NITROFURANTOIN ,
CEPHALOSPORINS, Aspirin, IODIDES, Sulfonamids,
לתרופות)
- RA , EOSINOPHILIC FASCITIS, ALLERGIC ANGITIS, PERIARTERITIS
NODOSA,)
- ,HODGKINS, MYCOSIS FUNGOIDES , CML
- CANCERS : LUNGS < STOMACK < PANCREAS, OVARY , UTERUS ,
- LOEFFLER's SYNDROME
- (Idiopathic) HYPEREOSINOPHILIC SYNDROME
- Hay fever , [Asthma](#) , ECZEMA, SERUM SICKNESS, ALLERGIC
VASCULITIS, PEMPHIGUS, (associated with)
- JOBS SYNDROME, CGD
- EOSINOPHILIA _ MYALGIA SYNDROME
- [EOSINOPHILIC GASTROENTERITIS \(+ IBD , CELIAC , Hypereosinophilic
Sindrome \)](#)
- GLEICH'S syndrome
- ADDISON's syndrome